

Chart A
Influenza Self-Assessment Chart for CHILDREN UNDER 5 YEARS OF AGE




Chart A
Influenza Self-Assessment Chart for CHILDREN UNDER 5 YEARS OF AGE

(Continued)



Call 911 right away or take your child to the nearest hospital emergency department if your child has new onset or worsening of the following symptoms:

- Difficulty breathing / shortness of breath when doing very little or resting
- Blue lips, cold feet, hands and/or toes; sudden paleness
- Extreme lack of energy; limp or unconscious
- Continuous vomiting or severe diarrhea with signs of dehydration such as dry tongue, dry mouth, decreased peeing (no urine for the past 6-8 hours), or very yellow/orange urine
- Stiff neck, sensitive to light
- Seizures or convulsions
- Confusion or disorientation

Chart B
 Influenza Self-Assessment Chart for Individuals **5 Years of Age and Older** who **ARE** at **High Risk** for Complications from Influenza




Chart B
Influenza Self-Assessment Chart for Individuals **5 Years of Age and Older** who **ARE** at
High Risk for Complications from Influenza

(Continued)

Go to the nearest hospital emergency department or call 911 right away if you or your child has any of the following symptoms:

- Difficulty breathing / shortness of breath when doing very little or resting
- Continuous vomiting or severe diarrhea with signs of dehydration such as dry tongue, dry mouth, decreased peeing (no urine for the past 6-8 hours), or very yellow/orange urine
- Stiff neck, sensitive to light
- Seizures or convulsions
- Confusion or disorientation

Chart C

Influenza Self-Assessment Chart for Individuals **5 Years of Age and Older** who **ARE NOT** at **High Risk** for Complications from Influenza




Chart C

Influenza Self-Assessment Chart for Individuals **5 Years of Age and Older** who **ARE NOT** at **High Risk** for Complications from Influenza

(Continued)

Go to the nearest hospital emergency department or call 911 right away if you or your child has any of the following symptoms:

- Difficulty breathing / shortness of breath when doing very little or resting
- Continuous vomiting or severe diarrhea with signs of dehydration such as dry tongue, dry mouth, decreased peeing (no urine for the past 6-8 hours), or very yellow/orange urine
- Stiff neck, sensitive to light
- Seizures or convulsions
- Confusion or disorientation