

SURVEILLANCE WEEK 30-31 (July 20, 2008– August 2, 2008)

This issue of the Ontario Influenza Bulletin provides information on the surveillance period from July 20, 2008-August 2, 2008, (Weeks 30&31). The analysis for this issue occurred on Thursday August 7, 2008, therefore all data is current to that date unless otherwise specified.

Overall, influenza activity in Ontario during weeks 30 & 31, 2008 was lower than weeks 28 & 29 2008. There were no confirmed cases of influenza reported through iPHIS from health units. There were no new reports of institutional influenza outbreaks. For week 31, the majority of health regions reported no influenza activity, with the exception of Central West and South West, which had 'sporadic' level activity.

In Canada for weeks 29 & 30, influenza activity remained low with the majority of the influenza surveillance regions reporting no activity.[†]

Institutional Outbreaks: Data Entry Reminder

Please ensure when entering confirmed institutional outbreaks using the iPHIS summary outbreak functionality, that the total number of cases is entered along with the aetiologic agent (if known) within 1 business day of outbreak notification. This enables us to provide you with the most accurate and timely description of influenza-like illness activity in Ontario.

For a definition of influenza-like illness (ILI) activity levels and links to websites providing current influenza information from other sources, please refer to the attached Appendix- I. If you would like to provide feedback on the Bulletin, please contact Christine D'Souza (christine.dsouza1@ontario.ca, 416-212-5323) or Anne-Luise Winter (anne-luise.winter@ontario.ca, 416-327-7301).

Table 1: Summary of confirmed influenza cases and institutional influenza outbreaks by health region (Weeks 30 & 31, 2008).

Confirmed influenza cases*	HEALTH REGION							TOTAL
	North West	North East	Eastern	Central East	Toronto	South West	Central West	
Influenza A	0	0	0	0	0	0	0	0
Influenza B	0	0	0	0	0	0	0	0
Influenza A & B	0	0	0	0	0	0	0	0
Total new cases	0	0	0	0	0	0	0	0
Institutional influenza outbreaks‡	0	0	0	0	0	0	0	0

SOURCE: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted [07/08/2008].

* Includes reports of confirmed influenza through iPHIS, as well as cases in institutional outbreaks, with dates of onset in the surveillance period.

† These data have been obtained from the FluWatch report of the Public Health Agency of Canada for Weeks 29 & 30, 2008.

‡ Confirmed outbreaks in institutions with onset date of symptoms during the surveillance period.

Table 2: Confirmed cases of influenza by health unit & health region, with an episode date[†] during Weeks 30 & 31, 2008

Region	Health Unit	Confirmed Influenza		
		Influenza A	Influenza B	TOTAL
North West	Northwestern	0	0	0
	Thunder Bay District	0	0	0
	TOTAL NORTH WEST	0	0	0
North East	Algoma	0	0	0
	North Bay Parry Sound District	0	0	0
	Porcupine	0	0	0
	Sudbury & District	0	0	0
	Timiskaming	0	0	0
	TOTAL NORTH EAST	0	0	0
Eastern	City of Ottawa	0	0	0
	Eastern Ontario	0	0	0
	Hastings & Prince Edward Counties	0	0	0
	Kingston, Frontenac, Lennox & Addington	0	0	0
	Leeds, Grenville And Lanark District	0	0	0
	Renfrew County And District	0	0	0
	TOTAL EASTERN	0	0	0
Central East	Durham Region	0	0	0
	Haliburton, Kawartha, Pine Ridge	0	0	0
	Peel Region	0	0	0
	Peterborough County-City	0	0	0
	Simcoe Muskoka District	0	0	0
	York Region	0	0	0
	TOTAL CENTRAL EAST	0	0	0
Toronto	Toronto	0	0	0
	TOTAL TORONTO	0	0	0
South West	Chatham-Kent	0	0	0
	Elgin-St. Thomas	0	0	0
	Grey Bruce	0	0	0
	Huron County	0	0	0
	Lambton County	0	0	0
	Middlesex-London	0	0	0
	Oxford County	0	0	0
	Perth District	0	0	0
	Windsor-Essex County	0	0	0
	TOTAL SOUTHWEST	0	0	0
Central West	Brant County	0	0	0
	City Of Hamilton	1	0	1
	Haldimand-Norfolk	0	0	0
	Halton Region	0	0	0
	Niagara Region	0	0	0
	Waterloo Region	0	0	0
	TOTAL CENTRAL WEST	0	0	0
	TOTAL ONTARIO	0	0	0

SOURCE: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted [07/08/2008].

[†] Episode Date for a case corresponds to the earliest date on record for the case according to the iPHIS hierarchy (Symptom Date > Clinical Diagnosis Date > Specimen Collection Date > Lab Test Date > Reported Date)

Table 3: Cumulative* confirmed cases of influenza by health unit & health region with an episode date† between September 1, 2007 – August 2, 2008

Region	Health Unit	Confirmed Influenza			
		Influenza A	Influenza B	Influenza A & B	TOTAL
North West	Northwestern	32	0		32
	Thunder Bay District	23	4		27
	TOTAL NORTH WEST	55	4		59
North East	Algoma	27	18		45
	North Bay Parry Sound District	54	32		86
	Porcupine	10	1		11
	Sudbury & District	20	16		36
	Timiskaming	14	13		27
	TOTAL NORTH EAST	125	80		205
Eastern	City Of Ottawa	88	156		244
	Eastern Ontario	20	29		49
	Hastings & Prince Edward Counties	22	25		47
	Kingston, Frontenac, Lennox & Addington	31	33		64
	Leeds, Grenville And Lanark District	12	25		37
	Renfrew County And District	8	18		26
	TOTAL EASTERN	181	286		467
Central East	Durham Region	85	61		146
	Haliburton, Kawartha, Pine Ridge	64	72		136
	Peel Region	351	183		534
	Peterborough County-City	67	62		129
	Simcoe Muskoka District	171	98		269
	York Region	125	107	1	233
	TOTAL CENTRAL EAST	863	583	1	1,447
Toronto	Toronto	849	618	3	1,470
	TOTAL TORONTO	849	618	3	1,470
South West	Chatham-Kent	11	12		23
	Elgin-St. Thomas	10	4		14
	Grey Bruce	49	20		69
	Huron County	67	20		87
	Lambton County	24	8		32
	Middlesex-London	53	11		64
	Oxford County	24	5		29
	Perth District	24	32		56
	Windsor-Essex County	36	48		84
	TOTAL SOUTHWEST	298	160		458
Central West	Brant County	9	12		21
	City Of Hamilton	225	110		335
	Haldimand-Norfolk	21	9		30
	Halton Region	110	72		182
	Niagara Region	85	27		112
	Waterloo Region	147	77		224
	Wellington-Dufferin-Guelph	75	49		124
	TOTAL CENTRAL WEST	672	356		1,028
	TOTAL ONTARIO	3,043	2,087	4	5,134

SOURCE: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted [07/08/2008].

* Cumulative case counts include late reports and records that are otherwise reconciled. Therefore, cumulative counts may not equal new cases plus previous cumulative value.

† Episode Date for a case corresponds to the earliest date on record for the case according to the iPHIS hierarchy (Symptom Date > Clinical Diagnosis Date > Specimen Collection Date > Lab Test Date > Reported Date)

‡ Note that one of the cases of influenza reported from Simcoe Muskoka District represents a case co-infected with Influenza A & B

Influenza Subtype(s):

During weeks 30 & 31, 1529 isolates were received by the Public Health Agency of Canada, with none testing positive for influenza A and one positive for influenza B. The reported influenza B isolate was from Alberta (100.0%)*.

Antigenic Characterization:

To date, the National Microbiology Laboratory (NML) has characterized 1,442 influenza viruses for the 2007-2008 influenza season: 498 (35%) A(H1N1), 278 (19%) A(H3N2) and 666 (46%) B viruses. Of the 498 influenza A(H1N1) viruses characterized, 472 (95%) were antigenically similar to A/Solomon Islands/3/2006 and 26 (5%) were antigenically similar to A/Brisbane/59/2007. Of the 278 influenza A(H3N2) viruses characterized, 16 (6%) were antigenically similar to A/Wisconsin/67/2005 and 262 (94%) were antigenically similar to A/Brisbane/10/2007. Of the 666 influenza B isolates characterized, 17 (3%) were antigenically similar to B/Malaysia/2506/2004 and 649 (97%) were antigenically similar to B/Florida/4/2006 (belonging to the B/Yamagata lineage).**

Antiviral Resistance:

Since the start of the season, the NML has tested 1,074 influenza A isolates (580 H1N1 and 494 H3N2) for amantadine resistance and found that 492 (99.6%) of the 494 H3N2 isolates were resistant to amantadine and 6 (1%) of 580 H1N1 isolates were resistant (see recommendation from the 2006-2007 influenza season).


The NML has also tested 1,453 influenza isolates (508 A/H1N1, 282 A/H3N2 & 663 B) for oseltamivir (Tamiflu) resistance and found that 134 (26.4%) of the 508 H1N1 isolates tested were resistant to oseltamivir.**

The WHO recommends that the influenza vaccine to be used in the 2008-2009 season for the northern hemisphere contain the following: an A/Brisbane/59/2007 (H1N1)-like virus; an A/Brisbane/10/2007 (H3N2)-like virus; and a B/Florida/4/2006-like virus. http://www.who.int/csr/disease/influenza/recommendations2008_9north/en/index.html

* These data have been obtained from the Respiratory Virus Detection tables of Public Health Agency of Canada and do not include data from late reports to PHAC: Weeks 30 & 31, 2008

** These data have been obtained from the FluWatch report of the Public Health Agency of Canada for Weeks 29 & 30, 2008.

Figure 1: Total number of influenza tests performed and percent of positive tests in Ontario reported to the Centre for Immunization and Respiratory Infectious Diseases (CIRID), by report week.



Source: Public Health Agency of Canada

* Total numbers reported include late reports; therefore totals may not be equal to the sum of the weekly numbers.

Note: Cumulative numbers for season to date are available through FluWatch: <http://www.phac-aspc.gc.ca/fluwatch/>

Table 4a: Institutional respiratory infection outbreaks in Ontario: New Outbreaks* in Week 30 & 31 and Total Outbreaks for the Season**

Institutional Respiratory Infection Outbreaks		
New Outbreaks*	N	% (of outbreaks)
Influenza A	0	0.0
Influenza B	0	0.0
Influenza A and B	0	0.0
Parainfluenza (All types)	0	0.0
RSV	0	0.0
Other organisms	0	0.0
No organism identified	3	100.0
TOTAL	3	100
Total Respiratory Infection Outbreaks of the Season to date**	N	% (of outbreaks)
Influenza A	152	18.3
Influenza B	148	17.8
Influenza A and B	16	1.9
Parainfluenza (All types)	39	4.7
RSV	50	6.0
Combined Outbreaks [†]	2	0.2
Other organisms	33	4.0
No organism identified	392	47.1
TOTAL	832	100
Types of Institutions (All Outbreaks) **	N	% (of outbreaks)
Long-Term Care Homes	479	57.6
Hospitals	37	4.5
Retirement Homes	77	9.3
Other	10	1.2
Unknown	229	27.5
TOTAL	832	100

SOURCE: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted [07/08/2008]

* New outbreaks are those in which the date of onset of illness in the first case occurred and recorded through iPHIS in the current surveillance period; i.e. July 20, 2008 – August 2, 2008

** Season to date includes all outbreaks in which the date of onset of illness in the first case occurred from September 1, 2007 – August 2, 2008

† Combined outbreaks include outbreaks in which more than one non-influenza organism has been identified (e.g. RSV, parainfluenza, rhinovirus, etc.)

Table 4b: Outbreak Related Complications in institutional respiratory infection outbreaks in Ontario during the Surveillance Season*

Outbreak Related Complications (All Outbreaks)	N	% (of total cases)
Total Cases		
Residents	10385	72.4
Patients	533	3.7
Staff	3377	23.6
Total Cases	14337	100
Deaths		% (of cases per role)
Residents	307	3.0
Patients	14	2.6
Staff	2	0.1
Pneumonia (Chest x-ray confirmed)		% (of cases per role)
Residents	465	4.5
Patients	23	4.3
Staff	15	0.4
Hospitalizations		% (of cases per role)
Residents	577	5.6
Staff	8	0.2
Outbreak Related Complications (Influenza Outbreaks)	N	% (of total cases)
Total Cases		
Residents	4015	70.3
Patients	181	3.2
Staff	1494	26.2
Total Cases	5710	100
Deaths		% (of cases per role)
Residents	184	4.6
Patients	4	2.2
Staff	2	0.1
Pneumonia (Chest x-ray confirmed)		% (of cases per role)
Residents	230	5.7
Patients	10	5.5
Staff	11	0.7
Hospitalizations		% (of cases per role)
Residents	321	8.0
Staff	7	0.5

SOURCE: Ontario Ministry of Health and Long-Term Care, integrated Public Health Information System (iPHIS) database, extracted [07/08/2008]

* Season to date includes all outbreaks in which the date of onset of illness in the first case occurred from September 1, 2007 – August 2, 2008

Figure 2: Institutional respiratory infection outbreaks in Ontario by onset of illness in the first case: Total Outbreaks from September 1, 2007 – August 2, 2008 by causative organism






Figure 3: Influenza Activity* levels in Ontario by health unit for Week 31, 2008



SOURCE: MOHLTC [Provincial Influenza Activity Report (Appendix C) Database]

* Influenza activity levels are assigned by local public health units and reported to the MOHLTC by the Tuesday following the end of the surveillance week at 4 pm. Activity levels are assigned based on laboratory confirmations, ILI reports from various sources, and laboratory confirmed institutional outbreaks. [Please refer to detailed definitions for the 2007-2008 season included in the Appendix-1]

Figure 4: Average influenza-like illness (ILI) consultation rate (per 1,000 patient visits) reported by sentinel physicians* in Ontario in 2007- 2008 season, by report week, Compared to Ontario average[†] (1999/2000 to 2004/05 seasons).



Source: Public Health Agency of Canada

* Sentinel physician information is reported to Public Health Agency of Canada.

[†]No data available for mean rate in previous years for weeks 21 to 39 (1999-2000 through 2004-2005 seasons). During weeks 20-39, 2002-2003/2004-2005 seasons, ILI is reported once every two weeks, on even weeks only.

Table 6: Average Influenza-like illness consultation rate (per 1,000 patient visits) by age group and postal code as reported by Sentinel Physicians* in Ontario, for Week 31.

Postal Code	0 – 4	5 – 19	20 – 64	65 +	Unknown
K1L8H2	0	0	0	0	0
K2P1V3	0	0	0	0	0
K1J9M2	0	0	0	0	0
L1A3W4	0	0	0	0	0
K0M1A0	0	0	0	0	0
L1B1H8	0	0	0	0	0
L4J7Y3	0	0	0	0	0
L4C2N9	0	0	0	0	0
L4G7Y3	0	0	0	0	0
M5M1B2	0	0	0	0	0
M6G4A1	0	0	0	0	0
M4E1V8	0	0	0	0	0
M8Y1W3	0	0	0	0	0
L6W2A4	0	0	0	0	0
L6V4H6	0	0	0	0	0
L9W1G2	0	0	0	0	0
L6L2X4	0	0	0	0	0
L9H1V1	0	0	0	0	0
L2E7H1	0	0	0	0	0
N1R2L7	0	0	0	0	0
N2M3B5	0	0	0	0	0
N5C1G5	0	0	0	0	0
N5H1K9	0	0	0	0	0
N0R1G0	0	0	0	0	0
N6C2R5	0	0	0	0	0
N0C1E0	0	0	0	0	0
P0P1S0	0	0	0	0	0
P0M2L0	0	0	0	0	0
P0W1E0	0	0	0	0	0
P8N2Z6	0	0	0	0	0
ILI Sum	0	0	0	0	0
<i>ILI Consultation Rate (per 1,000 patient visits)</i>	0.00	0.00	0.00	0.00	0.00

Source: Public Health Agency of Canada

* Sentinel physician information is reported to the Public Health Agency of Canada

Note: The small numbers of sentinel physicians reporting at the local level make the ILI rates unstable. Please interpret these data correspondingly.

FURTHER INFORMATION

1. Ontario Ministry of Health and Long-Term Care
Previous issues of the *Ontario Influenza Bulletin* can be accessed at:
http://www.health.gov.on.ca/english/providers/program/pubhealth/flu/flu_07/flubul_mn.html
2. Health Agency of Canada
Issues of FluWatch can be accessed at:
www.phac-aspc.gc.ca/fluwatch/
3. United States Centers for Disease Control and Prevention
<http://www.cdc.gov/flu/weekly/fluactivity.htm>
4. European Influenza Surveillance Scheme
http://www.eiss.org/cgi-files/bulletin_v2.cgi

INFORMATION ABOUT AVIAN INFLUENZA

For latest information on the status of avian influenza worldwide please use the following link:

Public Health Agency of Canada
<http://www.phac-aspc.gc.ca/h5n1/index.html>

APPENDIX - I

Definitions for influenza activity levels:

No Data: No activity report corresponding to the surveillance week was received at the Ministry of Health and Long-Term Care Call Centre by the Tuesday (at 4 p.m.) following the end of the surveillance period.

No Activity: No laboratory confirmed* influenza and NO outbreaks detected within the health unit/ influenza surveillance area, within the prior week, although sporadically occurring ILI may or may not be present.†

Sporadic: Sporadically (infrequently) occurring **ILI and at least one lab-confirmed influenza* case with NO outbreaks** detected within the health unit area.†

Localized: sporadically occurring **ILI and lab-confirmed influenza* together with outbreaks of ILI** in schools and work sites, or laboratory-confirmed influenza in residential institutions occurring in < 50% of the health unit . Outbreaks affect a single and/or adjacent geographic area within the health unit jurisdiction, e.g. outbreaks in a nursing home and a school in close proximity to each other.†

Widespread: sporadically occurring **ILI and lab-confirmed influenza* together with outbreaks of ILI** in schools and work sites, or laboratory-confirmed influenza in residential institutions occurring in > 50% of the health unit. Outbreaks affect multiple and non-adjacent geographic areas within the health unit jurisdiction, such as two or more regions of the health unit, two or more municipalities, two or more electoral wards, etc.†

* Confirmation of influenza within the surveillance region at any time within the prior week

† Sub-regions within the province or territory as defined by the provincial/territorial epidemiologist

Influenza-Like Illness (ILI) Definitions:

A) ILI in the general population:

Acute onset of respiratory illness with fever and cough and with one or more of the following - sore throat, arthralgia, myalgia, or prostration which could be due to influenza virus. In children under 5, gastrointestinal symptoms may also be present. In patients under 5 or 65 and older, fever may not be prominent.

B) ILI/Influenza outbreaks:

Schools and work sites: greater than 10% absenteeism on any day, most likely due to ILI.

Residential institutions: two or more cases of ILI within a seven-day period, **including at least one laboratory confirmed case.**

Influenza Surveillance Weeks 2008 and date of submission of Appendix C

WEEKS	START	END	Appendix C Submission to MOHLTC
WK32	3-Aug-08	9-Aug-08	12-Aug-08
WK33	10-Aug-08	16-Aug-08	19-Aug-08
WK34	17-Aug-08	23-Aug-08	26-Aug-08
WK35	24-Aug-08	30-Aug-08	2-Sep-08